

Safety Data Sheet

English Version 2.1.1 Prepared: 3-Sep-2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

<u>Product Name</u> Super Silicone Dry Mist Food Grade H1 Aerosol

Product Identifier 14014

1.2 Identified Uses: Lubricating Silicone Aerosol

Uses advised against: Food contact applications, medical & implantation uses.

1.3 Company : The Lubri-Loy Company

150 Enterprise Dr. Wentzville, MO 63385

Customer Service: Tel: 1 (636) 561-5007

1.4 Emergency Phone Number: Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

2.1 Classification according to US GHS regulation HCS 2012 (29 CFR 1910.1200), European regulation (EC) 1272/2008 and European Directive 67/548/EEC or 1999/45/EC

Aerosols, 2

2.2 GHS / CLP Label Elements (Regulations: US CFR 1910.1200 & EU (EC) No 1272/2008)

Signal word: Danger

Hazard statements:

H223 Flammable aerosol.

H229 Pressurized container: May burst if heated.

Precautionary statements:

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container – Do not pierce or burn, even after use.

Response:

Storage:

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Label elements / pictograms:

GHS02 (Flame)

2.3 Other Hazards

Thermal decomposition can lead to release of toxic and corrosive gases.

Smoking contaminated tobacco is a common way to inhale hazardous decomposition vapors.

2.4 Emergency Overview

Thermal decomposition can lead to release of toxic and corrosive gases.

Ecological injuries are not known or expected under normal use.

Skin: On heating, vapor or fumes may cause: Discomfort, itching, redness, or swelling.

Eyes: On heating, vapor or fumes may cause: Discomfort, tearing, redness.

Respiratory: On heating, vapor or fumes may cause: Respiratory tract irritation.

Carcinogenicity: No component of this material with concentration > 0.1% is listed by IARC, NTP, or OSHA as a carcinogen.

2.5 <u>Decomposition Vapor Hazard:</u> Material may decompose if severely overheated or burned.

2.6 HMIS / NFPA Information 1,4,2B/ 1,4,2

3. COMPOSITION / INFORMATION ON INGREDIENTS

1 of 7 Prepared: 9/3/2015

Hazardous / Reportable Ingredients	WT/WT %	CAS number	Classification		
nazardous / Reportable Ingredients	LESS THAN	CAS Hullibel	29 CFR 1910.1200 & (EC) 1272/2008	Hazard Codes	
Isobutane	80%	75-28-5	Not classified	None	
Synthetic Isoparaffinic Hydrocarbon	25%	64742-48-9	Not classified	None	

Other ingredients, if present, are under reportable limits and do not require reporting under current laws & regulations. GHS & CLP classifications are based on all current available data, and are subject to revision as more information becomes available.

4. FIRST AID MEASURES

4.1 Description of Necessary First Aid Measures :

4.1.0 General information:

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

In case of persisting adverse effects, consult a physician. Show this safety data sheet to the doctor in attendance.

4.1.1 Inhalation

In case of persisting adverse effects, consult a physician. Show this safety data sheet to the doctor in attendance.

Exposure to decomposition products (Inhalation):

Move affected person to fresh air.

Provide oxygen or artificial respiration if needed.

Symptoms of poisoning may develop many hours after exposure.

Consult a physician. Keep under medical supervision for at least 48 hours.

4.1.2 Eye Contact:

Rinse eyes immediately with plenty of water for 15 minutes, including under the eyelids.

If eye irritation develops or persists, consult a specialist.

Exposure to decomposition products (Eyes):

Remove contact lenses, if present.

Rinse eyes immediately with plenty of water for 15 minutes, including under the eyelids.

Get medical attention immediately.

4.1.3 Skin contact:

Wash off affected area with soap and water.

Remove contaminated clothing and launder clothing before reuse.

Get medical attention if symptoms develop or persist.

Exposure to decomposition products (Skin):

Wash off with plenty of water. Call a physician if irritation develops or persists.

4.1.4 <u>Ingestion:</u>

Rinse out mouth and give plenty of water to drink. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms develop or persist, call a physician.

If large quantities of this material are swallowed, seek medical advice immediately.

4.2 Most important symptoms/effects, acute and delayed

Overview of symptoms: See Section 11.1 for information on toxicological effects.

4.2.1 Inhalation: Inhalation of fumes may cause irritation.
 4.2.2 Skin contact: Contact with skin may cause irritation, redness.
 4.2.3 Eye Contact: Contact with eyes may cause irritation, redness.

4.2.4 Ingestion: Ingestion may provoke the following symptoms: Nausea, Vomiting, Diarrhea, Abdominal Pain

4.3 <u>Indication of immediate medical attention and special treatment needed, if necessary</u>

Indications: No special treatments required. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 <u>Extinguishing media</u>

Suitable extinguishing media

Water Spray or Mist Extinguishing Powder Alcohol-resistant Foam Dry Chemical Carbon dioxide (CO₂)

Unsuitable extinguishing media

Full water jet, which may spread fire.

5.2 Special exposure hazards in a fire

In high temperature or fire conditions, hazardous or toxic decomposition products may be produced (see 5.3 below)

2 of 7 Prepared: 9/3/2015

5.3 Hazardous decomposition products

Exposure to decomposition products may be a hazard to health.

Various decomposition products may be formed, including:

Carbon oxides and other hydrocarbon combustion compounds, smoke, and fumes.

Tetrafluoroethylene, hexafluoropropene, perfluoroisobutene.

5.4 Advice for firefighters

Special protective equipment for firefighters

Wear NIOSH/MSHA-approved self-contained breathing apparatus and protective suit.

Special procedures in a fire

Evacuate personnel to safe areas.

Approach from upwind.

Protect intervention team with a water spray as they approach the fire.

Keep containers and surroundings cool with water spray.

Keep product and empty containers away from heat and sources of ignition.

Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

5.5 Other information

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment during clean-up.

Advice for non-emergency personnel

Prevent further leakage or spillage if safe to do so.

Advice for emergency responders

Ensure adequate ventilation. Avoid dust or mist formation.

Keep away from open flames, hot surfaces and sources of ignition.

 $\label{thm:material} \textbf{Material can create slippery conditions. Sweep or soak up to prevent slipping hazard.}$

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Refer to protective measures listed in sections 7 and 8.

6.2 <u>Environmental precautions</u>

Product should NOT be released into the environment.

Do not flush into surface water or sanitary sewer system.

Prevent material from entering sewers, waterways, or low areas.

In case of accidental release or spill, immediately notify the appropriate authorities if required by national, state/provincial and local laws and regulations.

6.3 Methods and materials for containment and cleaning up

Sweep up or soak up with inert absorbent material. Put in suitable container for disposal. \\\\

 ${\it Clean contaminated floors and objects thoroughly while observing environmental regulations.}$

Suitable Material for picking up: Dry Earth, Sand, Other non-combustible materials

6.4 References to other sections

For emergency contact information, see section 1.

For protective measures, see sections 7 and 8.

For disposal instructions, see section 13.

7. HANDLING AND STORAGE

The information in this section contains generic advice and guidance. Specific situations may require additional actions.

7.1 Precautions for safe handling

Container should only be opened in a well ventilated area, using proper gloves and safety equipment.

If workplace exposure limits are exceeded, wear suitable respiratory equipment.

Avoid dust or vapor formation.

Avoid inhalation of vapor or mist.

 $\label{eq:contaminate} \mbox{Do not contaminate tobacco products.}$

Ensure adequate ventilation.

Use personal protective equipment. (Section 8)

Keep away from heat and sources of ignition.

To avoid thermal decomposition, do NOT overheat.

Take measures to prevent the build up of electrostatic charge. Clean and dry piping circuits and equipment before any operations.

Ensure all equipment is electrically grounded before beginning transfer operations.

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages.

Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling.

Remove and wash contaminated clothing before reuse.

3 of 7 Prepared: 9/3/2015

7.2 Conditions for storage, including incompatibilities

Storage

Keep container tightly closed, dry, and upright. Protect from contamination.

Always keep in containers of the same material as the original material.

Keep in a cool well-ventilated place.

Keep away from heat and sources of ignition.

Keep in properly labelled containers.

Keep away from combustible materials.

Provide tight electrical equipment well protected against corrosion.

Keep away from tobacco products.

Stable under recommended storage conditions. For further information see Section ${\bf 10}$.

Recommended Storage Temperatures: 0°C to 40°C (32 to 104°F)

Packaging materials

Incompatibilities

Keep away from:

Combustible materials, flammable materials, non-aqueous alkalis, molten alkali metals.

7.3 Specific end uses

Lubricating greases and fluids

For further information on specific applications, please contact: The Lubri-Loy Company, Inc.

7.4 Other information

In an and the set Manager

Provide tight electrical equipment well protected against corrosion.

Refer to protective measures listed in sections 7 and 8.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The information in this section contains generic advice and guidance. Specific situations may require additional actions.

Occupational exposure limit values:

Ingredient Name:	Source	Туре	Limit	Comments
Environmental exposure controls:				
General:	Dispose of rinse water in accordance with local and national regulations.			
Engineering Controls:	Apply technical measures to comply with the occupational exposure limits. Provide appropriate local exhaust when product is heated. Refer to protective measures listed in sections 7 and 8.			
Personal protective measures and equipment:				
	Use respirator when perfo	rming operations involving Sec. 10), wear a suitable re	potential exposure to dust spirator with a combination	clouds or product vapor. n filter for organic vapor & particulate.
Hand protection :	Recommended: Rubber, neoprene, or nitrile gloves.			
	Select and use gloves based on the likelihood and severity of exposure, following manufacturers' recommendations.			
			0 ,	
Eye/face protection :	Recommended: Safety glasses with side-shields (EN 166)			
	If splashes are likely to occ	ur, wear: Tightly fitting safe	ety goggles	
	In case of high-temperature processing wear: Tightly fitting safety goggles			
Skin & body protection: Recommended: Normal chemical work clothing (Long-sleeved clothing, safety shoes)				noes)
	In case of high-temperature processing wear: Heat resistant clothing and footwear.			
	When using, do NOT eat, d Wash hands before breaks Handle in accordance with Regularly clean equipment	rink or smoke. and at the end of workday good industrial hygiene ar , work area and clothing.	<i>ı.</i> nds safety practice.	cation.
	Environmental exposure controls: General: Engineering Controls: Personal protective measures and equipment: Respiratory protection: Hand protection: Eye/face protection: Skin & body protection: General hygiene measures:	Environmental exposure controls: General: Engineering Controls: Apply technical measures to Provide appropriate local of Refer to protective measures. Personal protective measures and equipment: Respiratory protection: Recommeded: Dust mask, Use respirator when performent in case of decomposition (Sus only respiratory protection). Hand protection: Recommended: Rubber, nouse of high-temperature of the splashes are likely to occur in case of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature. Skin & body protection: Recommended: Normal characteristics of high-temperature.	Environmental exposure controls: General: Dispose of rinse water in accordance with local and in Personal protective measures and equipment: Respiratory protection: Recommended: Dust mask, if working with dusty mat Use respirator when performing operations involving In case of decomposition (Sec. 10), wear a suitable re Use only respiratory protection that conforms to nati Hand protection: Recommended: Rubber, neoprene, or nitrile gloves. Select and use gloves based on the likelihood and seven in case of high-temperature processing wear: heat re If risk of decomposition, wear: rubber or neoprene gloves are likely to occur, wear: Tightly fitting safe in case of high-temperature processing wear: Tightly Skin & body protection: Recommended: Normal chemical work clothing (Long if splashes are likely to occur, wear: Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat re Coverall, chemical in case of high-temperature processing wear: Heat	Environmental exposure controls: General: Dispose of rinse water in accordance with local and national regulations. Engineering Controls: Apply technical measures to comply with the occupational exposure limits. Provide appropriate local exhaust when product is heated. Refer to protective measures listed in sections 7 and 8. Personal protective measures and equipment: Respiratory protection: Recommeded: Dust mask, if working with dusty materials. Respirator, if working Use respirator when performing operations involving potential exposure to dust In case of decomposition (Sec. 10), wear a suitable respirator with a combination Use only respiratory protection that conforms to national / international standa Hand protection: Recommended: Rubber, neoprene, or nitrile gloves. Select and use gloves based on the likelihood and severity of exposure, following. In case of high-temperature processing wear: heat resistant gloves. (EN 407). If risk of decomposition, wear: rubber or neoprene gloves (EN 374). Eye/face protection: Recommended: Safety glasses with side-shields (EN 166) If splashes are likely to occur, wear: Tightly fitting safety goggles In case of high-temperature processing wear: Tightly fitting safety goggles In case of high-temperature processing wear: Heat resistant clothing and footwood in the splash goggles, face shield in case of high-temperature processing wear: Heat resistant clothing and footwood when using, do NOT eat, drink or smoke. Wash hands before breaks and at the end of workday, Handle in accordance with good industrial hygiene ands safety practice.

particles may require additional precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Additional information :

4 of 7 Prepared: 9/3/2015

These precautions are for room temperature handling. Use at elevated temperatures or conditions that generate fine

General Physical Form: Liauid Clear Color: Odor: Mild Solvent

No information available. Odor Threshold.

pH: Not applicable.

159°F **Boiling Point:**

Melting Point (Dropping Point): Not applicable

Flash Point: **Evaporation Rate:** Not available. Not available. **Ignition Temperature:** Flammability: Not available.

8.4% **Upper Explosion Limit:** Auto-ignition temperature: Not available Not available Vapor Pressure: 0.5944 (25°C / 77°F)

Solublity in water: Insoluble.

No data available. Partition coefficient: (n-octanol / water): Not available **Decomposition Temperature:** Viscosity: Not applicable.

10. STABILITY AND REACTIVITY

Lower Explosion Limit:

Specific Gravity:

10.1 Reactivity: No dangerous reactions known under conditions of normal use.

117°F

1.0%

Stable under recommended storage conditions. Contact with some metals lowers decomposition temperature. Stability: 10.2 10.3 Possibility of hazardous reactions: Hazardous polymerization will not occur. No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid: Avoid use in presence of high voltage electric arc and in absence of oxygen.

Keep away from heat, flames & sparks. To avoid thermal decomposition, keep at temperatures below: 250°C (>482°F)

Stable under normal conditions. High temperatures can produce irritating and toxic fumes.

10.5 Materials to avoid:

Metals promote and lower decomposition temperature.

Contact with incompatible materials can cause fire and explosion.

Keep away from:

Combustible material, Flammable materials, non-aqueous alkalis, molten alkali metals

Strong oxidizers, strong acids and bases, caustic material

Hazardous decomposition products: 10.6

Hazardous decomposition products should not be produced. Normal conditions:

Under combustion or decomposition conditions:

Carbon oxides and other hydrocarbon combustion compounds. Tetrafluoroethylene, hexafluoropropene, perfluoroisobutene.

11. TOXICOLOGICAL INFORMATION

11.1 Information on the likely routes of exposure:

> Vapors from heated material may cause irritation of the respiratory system. Signs/symptoms may include cough, Inhalation:

sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion:

Contact with the skin during normal product use is not expected to result in significant irritation. Contact with heated Skin contact:

material may result in skin irritation or dermatitis.

Vapors from heated material may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, Eye contact:

and blurred or hazy vision.

Acute toxicity: 11.2

> This product cannot normally be inhaled. However, exposure to decomposition products may harm health, and some Inhalation:

serious effects may be delayed following exposure.

Ingestion: May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May cause skin irritation or dermatitis, especially if product is heated. Skin contact:

Eye contact: May cause eye irritation.

Potential chronic health effects 11.3

> Skin Corrosion / Irritation: No significant irritation. (Rabbit)

> > 5 of 7 Prepared: 9/3/2015

Serious Eye Damage / Irritation: No significant irritation. (Rabbit)

Not a skin sensitizer. Skin Sensitization: **Respiratory Sensitization:** Not a respiratory sensitizer.

Not an aspiration hazard. This product is not normally respirable. **Aspiration Hazard:**

Germ Cell Mutagenicity: Does not show mutagenic effects.

Does not show reproductive or developmental effects. **Reproductive / Developmental Effects:**

Carcinogenicity: Not classifiable as a human carcinogen, according to current guidelines.

Specific organ toxicity - Single exposure: No evidence of specific organ toxicity. No evidence of specific organ toxicity. Specific organ toxicity - Repeat exposure:

No specific information is available. 11.4 Toxicokinetics, metabolism and distribution:

This material is a grease or lubricating fluid, and there is almost no risk of inhalation under normal conditions. Other Information: 11.5

However, therrmal decomposition can lead to release of toxic and corrosive gases. Exposure to decomposition

products can cause severe irritation of eyes, skin and mucous membranes.

This product may contain small amounts of residual tetrafluoroethylene (TFE) monomer. TFE has been shown to cause liver and kidney cancer in laboratory animals in a test conducted by the National Toxicology Program (NTP). It is also

listed by the state of California under Proposition 65 as a carcinogen.

Based on product test data from this and similar products.

12. ECOLOGICAL INFORMATION

Aquatic Ecotoxicity effects 12.1

Product/Ingredient name	Measurement	Dose / Duration	Species	Remarks
<u>. </u>	EL50 - Invert.	>1000mg/LWAF,48hr	Daphnia Magna (Water Flea)	
	LL50 - Fish	> 1000 mg/L, 96 hr	Fish	
1-Decene homopolymer hydrogenated	NOELR	1000mg/L WAF, 72hr	Aquatic Plants	
	NOELR	125mg/L WAF, 21 d	Daphnia Magna (Water Flea)	
	NOEC	2 mg/L, 28 d	Activated sludge	
	LC50 - Fish	> 71 mg/L, 96 hr	Brachydanio Rerio (Zebrafish)	OECD 203
Amine Mixture	EC50 - Invert.	51 mg/L, 48 hr	Daphnia Magna (Water Flea)	OECD 202 Pt.1
Allille ivilature	EC50 - Aq. Plants	> 100 mg/L, 72 hr	Green Algae	OECD 201
	IC50 - microorg.	> 100 mg/L, 3 hr	Activated sludge	OECD 209

Not biodegradable. 12.2 Persistence and degradability

Bioaccumulative Potential 12.3 Low. Not soluble in water.

Droduct/Ingredient neme	Log(P _{ow})	BCF	Potential	
Product/Ingredient name	LUB(Fow)	BCF	Potentiai	

12.4 Mobility in Soil

> Soil/water partition coefficient (KOC): Not available

This product is not likely to move rapidly with surface or groundwater flows because of its low water solubility and high Mobility:

density. This product is not likely to volatilize rapidly into the air because of its low vapor pressure.

Results of PBT and vPvB assessment: 12.5

> Germany water class (WGK): Class 1 - Slightly hazardous to water (German VwVwS legislation, May 1999)

Other Information: Ecological injuries are not known or expected under normal use. 12.6

13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. Specific situations may require additional actions.

Waste treatment methods / Waste from residues & unused products: 13.1

Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with all national, state/provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws and regulations are the responsibility of the waste generator. 'Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

13.2 **Contaminated Packaging:**

Empty and clean contaminated packaging as much as as possible. Do not burn or use a cutting torch on the empty drum.

Empty containers can be taken to an approved waste handling site or landfilled, when in accordance with the local regulations.

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

RCRA Hazardous Waste (40 CFR 302):

Disposal should be in accordance with applicable local, regional, national and international laws and regulations.

14. TRANSPORT INFORMATION

6 of 7 Prepared: 9/3/2015 14.1 <u>International transport regulations</u>

US DOT Class (Ground)
No special transport requirements.
TDG Class (Canada)
No special transport requirements.
ADR / RID Class (EU Road / Rail)
No special transport requirements.
IMO / IMDG Class (Sea)
No special transport requirements.
ICAO / IATA Class (Air)
No special transport requirements.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

 United States:
 29 CFR 1910.1200 (HCS 2012, USGHS) as amended.

 European Union:
 Regulation (EC) No 1272/2008 (EU CLP) as amended.

 Regulation (EC) No 1907/2006 (EU REACH) as amended.

Directive 98/24/EC (Worker Health & Safety Regulations) as amended.

European Waste Catalogue (Note: Waste codes should be assigned by the user based on the application)

15.2 <u>International Inventory Lists:</u>

Australia Inventory (AICS): Other than exceptions listed below, all ingredients listed, exempt or notified.

Canada Inventory (DSL/NDSL): Other than exceptions listed below, all ingredients listed, exempt or notified.

China Inventory (IECSC): Other than exceptions listed below, all ingredients listed or exempt.

 European Inventory (EINECS):
 Other than exceptions listed below, all ingredients listed, exempt or notified. (ELINCS)

 Korea Invetory (KECI):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

 Japan Inventory (ENCS/ISHL):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

 New Zealand Inventory (NZIoC):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

 New Zealand Inventory (NZIoC):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

 Philippines Inventory (PICCS):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

 United States Inventory (TSCA 8b):
 Other than exceptions listed below, all ingredients listed, exempt or notified.

15.3 <u>European Regulations:</u>

REACH SVHC List, (EC) 1907/2006: This product does NOT contain REACH Substances of Very High Concern (17 Dec 2014 SVHC list).

Major Accident Hazard Legislation: Directive 96/82/EC Update: 2003 does not apply.

Water contaminating class (Germany): WGK 1 Slightly hazardous to waters

15.4 North American Regulations:

CERCLA Hazardous substances: No components are regulated.

Clean Air Act (CAA) 112

Accidental release prevention:

Regulated flammable substances:

No components were found.

Regulated toxic substances:

No components were found.

No components were found.

Hazardous air pollutants (HAPs): Not listed.

SARA 302/304/311/312

302 Extremely hazardous substances: Non

SARA 313 Form R Reporting Requirements: Component Name CAS Number wt. %

Components on US State Right-to-Know Disclosure Lists: Any components on State "Right-to-Know" disclosure lists are listed below.

Polytetrafluoroethylene (CAS # 9002-84-0): On "Right-to-Know" disclosure list for Pennsylvania

<u>California Proposition 65</u>

Any components known by the State of California to cause cancer, birth defects, or reproductive harm are listed below.

15.5 Chemical Safety Assessment: Chemical safety assessments are not required for this substance.

16. OTHER INFORMATION

Hazardous Material Information System (USA)

Health	1
Flammability	4
Physical Hazards	2
Personal Protection	В

National Fire Protection Association (USA)

Health	1
Flammability	4
Instability	2
Special	



(M)SDS sections updated 2 3 5 7 9 10 11 14 16

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.