

# **Safety Data Sheet**

Issuing Date 01-Jan-2014 Revision Date 26-June-2015 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier Gear Oil Food Grade Machinery, H1

Product Name GOH1-032, GOH1-032-640, GOH1-032-128, GOH1-046, GOH1-046-640,

GOH1-046-128, GOH1-068, GOH1-068-640, GOH1-068-128, GOH1-100, GOH1-10-640, GOH1-100-128, GOH1-150, GOH1-150-640, GOH1-150-128, GOH1-220, GOH1-220-640, GOH1-220-128, GOH1-320, GOH1-320-640, GOH1-320-128, GOH1-460, GOH1-460-640, GOH1-460-128, GOH1-680,

GOH1-680-640, GOH1-680-128

1.2. Identified uses / uses advised against

Identified uses: Technical grade lubricant, release agent for food, personal care

and industrial applications

1.3. Supplier details:

Company/Address:

The Lubri-Loy Company 150 Enterprise Dr. Wentzville, MO 63385 Tel: (636) 561-5007

1.4 Transportation emergency contact: Chem Tel 800.255.3924

# 2. HAZARDS IDENTIFICATION

2.1. Classification of substance or mixture

Classification according to Regulation (EC) No.1272/2008 [CLP]: Not classified Classification according to Directive 67/548/EEC or 1999/45/EC: Not classified

Adverse effects: At high temperatures, vapors may be generated which may be

considered hazardous at concentrations exceeding 5 mg/m<sup>3</sup>.

2.2. Label elements:

NFPA Code: Health-0, Flammability-1, Reactivity-0 HMIS Code: Health-0. Flammability-1, Reactivity-0

2.3. Potential Health Effects:

Eye contact:

No significant health hazards identified.

No significant health hazards identified.

No significant health hazards identified.

Negligible effect; may act as a laxative

No significant health hazards identified.

2.4. Other hazards: These substances/mixtures do not meet the PBT/vPvB criteria of

REACH, annex XIII. Prolonged/repetitive skin contact may cause skin defatting or dermatitis; ingestion may have laxative effect.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

<u>Component</u> <u>CAS No.</u> <u>EC No.</u> <u>% by Wt.</u> <u>HS Tariff Classification No.</u> Mineral Oil, USP 8042-47-5 232-45-9 99 2710.00.4530

Polybutene 9003-29-6 500-004-7 1 3902.90.0010

Antioxidant, Antiwear, Antirust Additives

# 4. FIRST AID MEASURES

4.1. General information:

Eye: Flush immediately with large amounts of water. If irritation occurs,

call a physician

Skin: Wash exposed area of skin with water. If burned by contact with

hot material, cool material as quickly as possible with water. See

a physician for burn treatment, irritation or allergic reaction.

Ingestion: If uncomfortable or symptomatic, seek medical assistance

promptly.

Inhalation: If adverse effects occur, remove to uncontaminated area. Get

medical attention if symptoms persist.

4.2. Most important symptoms and effects, acute and delayed

Symptoms/injuries: High vapor concentration may induce headache, nausea,

dizziness and respiratory irritation. Prolonged/repetitive skin

contact may cause skin defatting or dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed: See 4.1 and 4.2.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media: Dry chemical, carbon dioxide, foam, steam or water fog. Agents

approved for Class B hazards.

Unsuitable extinguishing media: Water streams will scatter liquid and spread fire, but may be used

to keep fire-exposed containers and surroundings cool.

5.2. Special hazards: May create dense smoke during combustion

Fire hazard: Mild fire hazard when heated above its flash point; material must

be preheated before ignition will occur (OSHA Class IIIB).

5.3. Advise for firefighters:

Firefighting instruction: Cool unaffected containers and remove to safety.

Firefighting protection: Firefighters should wear full bunker gear, including a positive

pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personnel: Wear appropriate breathing apparat

Wear appropriate breathing apparatus, protective clothing gloves

and eye/face protection. No smoking. Refer to section 8.

Emergency procedures: Remove all sources of ignition. Keep away from heat/sparks/open

flames/hot surfaces.

6.2. Environmental precautions Prevent spills from entering sewers and public waters.

6.3. Containment / Cleanup

Containment: Dike around spill; have oil-absorbent materials readily available.

Cleanup: Remove mechanically or contain on an absorbent material such

vermiculite or earth and dispose of in accordance with current

applicable regulations

7. HANDLING AND STORAGE

7.1. Handling No special requirements; observe good industrial hygiene

practices.

7.2. Storage Do not store in open or unlabeled containers. Store away from

strong oxidizing agents or combustible material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Limits: OSHA PEL: 5 mg/m<sup>3</sup> (oil mist) (1989) (1971)

ACGIH TLV-TWA: 5 mg/m<sup>3</sup> (oil mist)

ACGIH TLV-STEL: 10 mg/m<sup>3</sup> (oil mist)

8.2. Exposure controls Control airborne concentrations below the exposure guidelines.

Provide local exhaust or general room ventilation to minimize vapor concentrations. Provide emergency eye wash fountains

and safety showers.

Eye: Wear protective goggles or face shield if splashing is possible.

Skin: Wear protective gloves/clothing

Inhalation: Avoid breathing mist. If ventilation is inadequate, use

NIOSH/MSHA certified respirator to protect against mist.

Environmental controls: Avoid release to the environment. Notify authorities if product

enters sewers or public waters.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Basic physical and chemical properties

Appearance / Odor: Oily viscous liquid / Slight odor

pH: Not determined

Vapor Pressure: < 1.0 mmHg @ 20°C (68°F)

Vapor Density (Air=1): >1

Boiling Point: Not determined Melting Point: Not determined

Solubility: Negligible in water (below 0.1%); soluble in hydrocarbons

Specific Gravity (Water=1): 0.855 - 0.894 @ 25°C/25°C (77°F)

Pour Point: < 32°F

Flash point / Method 430°F (221°C) minimum / Cleveland Open Cup

# 10. STABILITY AND REACTIVITY

10.1. Reactivity Unknown10.2. Chemical Stability Stable

10.3. Hazardous reactions Hazardous polymerization will not occur

10.4. Conditions to avoid Extreme heat; contact with chlorine, fluorine, and other strong

oxidizers and acids

10.5. Incompatible materials Chlorine, fluorine, and other strong oxidizers and acids

10.6. Hazardous decomposition products None identified

10.7. Hazardous Polymerization Will not occur

#### 11. TOXICOLOGICAL INFORMATION

11.1. Toxicity Data following is based on information from similar products, the

ingredients, technical literature, and/or professional experience; The Lubri-Loy Company does not do testing on animals. No component of these products present at levels > 0.1% is identified as a carcinogen by the U.S. National Toxicology Program, U.S. Occupational Safety and Health Act, or the International Agency

on Research on Cancer (IARC).

Dermal (rabbits):

Oral (rats):

Eye Irritation:

Testing not conducted

#### 12. ECOLOGICAL INFORMATION

12.1 No definitive information available on ecological impact if product is released to the environment

#### 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal must be in accordance with applicable federal, state, or local regulations. "Empty" drums should not be given to individuals.

#### 14. TRANSPORT INFORMATION

14.1. General Information

Not regulated by U.S. DOT, Canadian TODG, IMO/IMDG, ICAO/IATA, ADR/RID

## 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

CERCLA Sections 102A/103 Hazardous Substances:

Not reportable SARA Title III Section 302 Extremely Hazardous Substances:

Not regulated

SARA Title III Sections 311/312 Hazardous Categorization: No hazardous by OSHA under 29

CFR Part 1910.1200(d).

SARA Title III Section 313:

U.S. Inventory (TSCA):

Not regulated

Listed on inventory

FOOD CONTACT STATUS FDA 21 CFR 178.3570: USDA: H1 Status Kosher Certification:

15.2. Chemical safety assessment

Compliant Compliant Compliant Incomplete

#### 16. OTHER INFORMATION

This material safety data sheet and the information it contains are offered in good faith as accurate. We have reviewed any information contained in this data sheet, which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use product(s) safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.

**End of SDS**