
★ ST. LOUIS, MISSOURI · SINCE 1949 ★

LUBRI-LOY®

2027

PRODUCT CATALOG





MORE GO.
LESS GAS.

FOOD GRADE H1 · GREASES · AEROSOLS ·
GEAR & HYDRAULIC OILS · CHAIN FLUIDS ·
BIODEGRADABLES · AUTOMOTIVE

ONE FOR EVERY NEED
PREMIUM LUBRICANTS & GREASES

LUBRILOY.COM
701 Market St, Ste 110
Saint Louis, MO 63101
(877) 582-7456

01 FOOD GRADE H1 AEROSOLS & SPRAY LUBRICANTS

NSF-registered for incidental food contact · Chain, cable, bearing, slide and release applications across food & beverage, bakery, pharma and packaging.



EXTREME PENETRATING OIL, CHAIN & CABLE FLUID

FOOD GRADE, H1

FOOD GRADE | NSF H1

All the powerful benefits of our signature penetrating oil with the added advantage of Food Grade registration. Its ISO 10 base fluid and additives make it a very effective chain and cable fluid.

NSF H1 Reg. No. 138771 Aerosol · 139610 Bulk

CATALOG NO.	NET WT.
7011	11 oz. (312 g)
7641	5 gal. (18 L)
77041	55 gal. (208 L)



IMPACT-FG

FOOD GRADE, H1

FOOD GRADE | NSF H1

All the benefits of our IMPACT-FG grease in a tenacious aerosol form. This high-temperature (-30°F to +350°F), high-performance grease is wash-out resistant and leaves a thick, long-lasting coating of white lubrication.

NSF H1 Reg. No. 138908

CATALOG NO.	NET WT.
9011	11 oz. (312 g)



SYNTHETIC SPRAY GREASE

FOOD GRADE, H1, SYNTHETIC

FOOD GRADE | NSF H1 | SYNTHETIC

Synthetic PAO-based aerosol grease designed for modern food-processing facilities, with extreme temperature capability from -40°F to +435°F. Resistant to corrosion, oxidation and water wash-out for longer lubrication cycles and equipment life.

NSF H1 Reg. No. 138909

CATALOG NO.	NET WT.
9009	9 oz. (255 g)



SUPER SILICONE WET MIST

FOOD GRADE, H1

FOOD GRADE | NSF H1

Dimethyl silicone spray offering a high-delivery, water-like mist that leaves a long-lasting, odorless film. Excellent for a wide variety of non-metal to metal applications in food processing facilities.

NSF H1 Reg. No. 138878

CATALOG NO.	NET WT.
14019	9 oz. (255 g)



SUPER SILICONE DRY MIST

FOOD GRADE, H1

FOOD GRADE | NSF H1

Silicone release agent providing a superior, lubricating dry film void of residue – suitable wherever increased lubricity is required. Prevents rust with a thin layer of lubrication and is heat stable to +450°F under adverse conditions.

NSF H1 Reg. No. 138694

CATALOG NO.	NET WT.
14014	9 oz. (255 g)

WHY H1 MATTERS

NSF H1 lubricants are formulated for incidental food contact. Every product on this page carries an active NSF registration – search **nsf.org** by registration number to verify.

REORDER: scan the QR on any Lubri-Loy label or visit lubriloy.com for product pages and SDS downloads.

02 GENERAL PURPOSE AEROSOLS & CLEANERS

Penetrants, belt dressing and industrial-strength cleaner/degreasers for maintenance, assembly and run-in – wherever lubrication or a clean surface is necessary.



EXTREME PENETRATING OIL, CHAIN & CABLE FLUID

INDUSTRIAL GRADE

PENETRANT

Low-odor, superior penetrating oil designed for a variety of situations – from the most common to the most difficult maintenance applications wherever lubrication is necessary. Provides extremely fast penetration, displaces moisture and leaves a protective coating that inhibits corrosion. Very high capillary action.

CATALOG NO.	NET WT.
7004	4 oz. (113 g)
7012	11 oz. (311 g)
7640	5 gal. (18 L)
77040	55 gal. (208 L)



SYNTHETIC BELT DRESSING

FOOD GRADE, H1, SYNTHETIC

FOOD GRADE | NSF H1 | SYNTHETIC

A tacky, non-drying film that extends belt and pulley bearing life by reducing slippage, hardening, glazing, dirt build-up and friction. Improves operating efficiency by reducing belt tension on motors, shafts and wheels. Water resistant and colorless – will not stain leather, rubber, canvas or fabric. Suited for flat, round and V-belts on conveyor systems.

NSF H1 Registration Pending

CATALOG NO.	NET WT.
8013	10 oz. (283 g)



LUBRI-CLEAN TRI-FREE

NON-CHLORINATED CLEANER & DEGREASER

NON-CHLORINATED | QUICK DRY

Industrial strength cleaner and degreaser – non-chlorinated and quick drying, leaving no leftover residue. An excellent alternative to 1,1,1 and chlorinated solvent products. Handles a wide range of cleaning and degreasing applications, including metal parts with residual grease and soil.

CATALOG NO.	NET WT.
16020TF	14 oz. (397 g)



LUBRI-CLEAN

HIGH-PERFORMANCE, NON-FLAMMABLE CLEANER & DEGREASER

NON-FLAMMABLE | HIGH DIELECTRIC

Dynamic non-flammable cleaner and degreaser – industrially rated and multi-dimensional, providing an array of benefits in one premium formula. Eliminates the need for numerous cleaning products with a diversified, all-in-one formulation that also performs as an electrical contact cleaner. High dielectric strength; safe on most plastics.

CATALOG NO.	NET WT.
16020	16 oz. (454 g)

ONE PENETRANT, TWO GRADES

7012 is the shop-floor standard; 7011 (page 4) is the same performance in an NSF H1 Food Grade formulation. Both scale from aerosol to 55-gallon drum.

INTERCHANGE

Lubri-Loy aerosols interchange with 95% of competitive aerosol SKUs – ask your rep for a cross-reference to consolidate inventory.

02 GENERAL PURPOSE
AEROSOLS & SPRAY LUBRICANTS

Dry-film and gel lubricants for assembly, run-in and high-pressure applications where a conventional oil won't stay put.



LUBRI-MOLY DRY FILM
MOLYBDENUM DISULFIDE LUBRICANT

DRY FILM | 50,000 PSI

Penetrates pores of substrates and bonds to surfaces for long-term lubrication. Provides a high-pressure, high-solids molybdenum disulfide coating that withstands up to 50,000 psi. Designed for assembly and run-in lubrication, automotive and industrial gaskets, sliding surfaces and gears, bearings, chain drives, intricate mechanisms, roller chains and conveyor belts wherever heat is present.

CATALOG NO.	NET WT.
10018	12 oz. (340 g)



LUBRI-GEL
PRESSURIZED PENETRATING GEL WITH PTFE

PTFE | TACKY GEL

A high-pressure penetrating lubricant that dispenses like a penetrating oil, then quickly establishes a grease-like, tacky, tenacious coating to provide long-lasting protection and lubrication.

CATALOG NO.	NET WT.
15016	11 oz. (312 g)



AEROSOL QUICK REFERENCE · SECTIONS 01-02

CATALOG NO.	PRODUCT	NSF	NET WT.	PAGE
7011	Extreme Penetrating Oil, Chain & Cable Fluid	H1	11 oz	4
7012	Extreme Penetrating Oil, Chain & Cable Fluid	–	11 oz	5
7004	Extreme Penetrating Oil, Chain & Cable Fluid	–	4 oz	5
9011	Impact-FG Aerosol Grease	H1	11 oz	4
9009	Synthetic Spray Grease	H1	9 oz	4
14019	Super Silicone Wet Mist	H1	9 oz	4
14014	Super Silicone Dry Mist	H1	9 oz	4
8013	Synthetic Belt Dressing	H1*	10 oz	5
16020TF	Lubri-Clean Tri-Free Cleaner & Degreaser	–	14 oz	5
16020	Lubri-Clean Non-Flammable Cleaner & Degreaser	–	16 oz	5
10018	Lubri-Moly Dry Film	–	12 oz	6
15016	Lubri-Gel Penetrating Gel with PTFE	–	11 oz	6

** Registration pending. All aerosols ship 12 per case. Bulk sizes for 7011/7012 listed on pages 4–5.*



ONE FOR EVERY NEED.

PREMIUM LUBRICANTS & GREASES · ST. LOUIS, MISSOURI · SINCE 1949

LUBRI-LOY®

PREMIUM LUBRICANTS & GREASES

SCAN TO REORDER

HEADQUARTERS

The Lubri-Loy Company
701 Market St, Ste 110
PMB 1025 · Saint Louis, MO 63101

CONTACT

Phone: (877) 582-7456

customercare@lubriloy.com

ONLINE

LUBRILOY.COM

Product pages · SDS · Reorder
2027 Edition